


LEZORA
empire of tiles

ENDLESS
S E R I E S


STORIES INTO
EVERY SURFACE.


600x600 mm



ANCONA GOLD


Phase 1






LUSTERED GOLD


Phase 3






LUSTERED AQUA


Phase 3






LUSTERED BLUE


Phase 3






LUSTERED GREEN


Phase 3






RUBICO GREEN


Phase 1






MONTAGE GREEN


Phase 2





MONTAGE AQUA

Phase 2






BAWITI GOLD


Phase 3





BUMBLE SKY


Phase 4






PEACOCK SKY


Phase 5






GOUGH AZUL


Phase 4






TIVOLI AQUA


Phase 3






TWIST AQUA


Phase 3






GLITTERBOMB AQUA


Phase 4






GLITTERBOMB GREEN


Phase 4






GOLDEN GALAXY

Phase 2





SOFITO GOLDEN

Phase 8





MONTANA GOLD


Phase 4






ELECO AQUA


Phase 1






LYCOS GOLD

Phase 1






LAVISH GOLD


Phase 4





LAVISH GREY

Phase 4





THUNDER DENIM


Phase 1





PORTSEA BIANCO


Phase 4





PORTSEA GREY


Phase 4





EMCO GREY


Phase 4





SCORIA CARRARA

Phase 4





ARID SILVER


Phase 4





ARID CREMA


Phase 4





ONIXERA WHITE

Phase 4





GRASSHOPER GREY

Phase 8





GRASSHOPER BEIGE


Phase 8





SYRIA PEACH

Phase 3





MINQAR BIANCO

Phase 4






EXPANCE SKY


Phase 4






CORTEX BLUE


Phase 1





MAXERO STATUARIO


Phase 4






URLI GREEN


Phase 4






MACCHIA CARRARA


Phase 4






SHARK GREEN


Phase 4





SHARK AQUA


Phase 4





GRASSHOPE AQUA

Phase 1





GRASSHOPE GREEN


Phase 1






FRIDO GREEN


Phase 1





FRIDO AQUA


Phase 1





ETERNITY GREY


Phase 4





ETERNITY SKY

Phase 4





ETERNITY BROWN

Phase 4





ZARKO GREY


Phase 8





FOSSIC SATUARIO

Phase 4





JERRY SATUARIO

Phase 4





STEEL SATUARIO

Phase 4





FIRE CRACKER


Phase 4





ELICA WHITE

Phase 4





NEXUS WHITE

Phase 4



CHARACTERISTIC	STANDARD AS PER ISO-13000/EN14411 DUP BLA	MEAN VALUE OF LEZORA GVT	TEST METHOD
----------------	---	--------------------------	-------------

REGULATORY PROPERTIES			
Deviation in Length & Width	±0.5%	±0.1%	ISO-10545-2
Deviation in Thickness	+5.0%	+4.0%	ISO-10545-2
Straightness in Side	±0.5%	±0.1%	ISO-10545-2
Rectangularity	±0.5%	±0.1%	ISO-10545-2
Surface Flatness	±0.5%	±0.2%	ISO-10545-2
Color Difference	Ungitered	No Change	ISO-10545-16
Glossiness (ONLY FOR PGVT)	As Per Mlg.	Min 90%	GLOSSMETER

STRUCTURAL PROPERTIES			
Water Absorption	< 0.50%	< 0.05%	ISO-10545-3
Apparent Density	> 20 g/cc	> 2.10 g/cc	DIN 51082

MASSIVE MECHANICAL PROPERTIES			
Modulus of Rupture	Min. 35 N/mm ²	Min. 40 N/mm ²	ISO-10545-3
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
Impact Resistance	As Per Mlg.	Min. 0.55	ISO-10545-5

SURFACE MECHANICAL PROPERTIES			
Surface Abrasion resistance	As Per Mfg	Min. Class-3	ISO-10545-7
MOH'S Hardness	As Per Mfg	Min. 4	EN 101

THERMO HYGROMETRIC PROPERTIES			
Frost Resistance	No Damage	No Damage	ISO-10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO-10545-09
Moisture Expansion	Nil	Nil	ISO-10545-10
Thermal Expansion (COE)	Max 90 x 10 ⁻⁶	Max 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing Resistance	As Per Mfg	Min. 10 Cycle	ISO-10545-11

CHEMICAL PROPERTIES			
Chemical Resistance	No Damage	No Damage	ISO-10545-13
Stain Resistance	Resistance	Resistance	ISO-10545-14

SAFETY PROPERTIES			
Slip Resistance	As Per Mlg	> 0,40	ISO-10545-17
Fire Resistance	As Per Mfg	Fireproof	N.A.
Lead & Cadmium Given Off By Glazed Tiles	As Per Mfg.	Does Not Yield Pb & Cd	ISO-10545-15

Packaging Detail

Size	Thickness (approx.)	Tiles Per Box	Coverage Area (approx.)	Wt. Kgs. (approx.)
600x600 MM	8 MM	4 Pcs.	1.44 Sq. Mtr.	26.00



HIGH STRENGTH



CHEMICAL RESISTANCE



STAIN RESISTANT



EASY TO CLEAN



EASY MAINTENANCE



DIMENSIONAL STABILITY




SLIP RESISTANT



ECO FRIENDLY





LEZORA
empire of tiles

LEZORA VITRIFIED PVT. LTD.

8-A National Highway, Sartanpar Road,
At.Matel-363621, Morbi (Gujarat) INDIA.

sales@lezoravitrified.com
www.lezoravitrified.com