

Lemzon[®]
HIGHGLOSS EXPERT

BACKLIT ✨
MARBLE
COLLECTION

600 MM X 1200 MM
GVT & PGVT


SUPER
**HIGH
GLOSS**

INDIA'S 1st

BACKLIT
MARBLE
COLLECTION

Engineered Glow. Designed for Elegance.

The Backlit Marble Collection uses advanced multi-layer gloss technology that enhances the internal luminosity of marble-inspired textures. Our precision digital detailing highlights every vein, revealing a glowing depth comparable to real backlit stone panels — without the need for external lighting.



CRAFTED TO REFLECT NATURAL BACKLIT STONE
— ELEGANT, RADIANT, AND HIGH GLOSS.

600X
1200 MM



“Designed for spaces where
light becomes luxury.”



Residence



Offices



Public Places



Airports



Shops



Hotels



Malls

It's A Clickable Catalogue



**Tap To
Explore
Each Product**

Tap on particular product to
Explore full size view.




**Tap To
Back To
Index Page**

Again tap on the Tiles Page
To return to the Index page



**BEAMSTONE
AQUA**



**BEAMSTONE
BLACK**



**BEAMSTONE
GREEN**



**BEAMSTONE
PURPLE**



**CLOUDBURST
FOREST**



**CLOUDBURST
NERO**



**CLOUDBURST
PURPLE**



**GLOWVEIN
AQUILO**




**GLOWVEIN
MOSS**



**GLOWVEIN
NIGHT**




**GLOWVEIN
PURPLE**




**PRISMLIGHT
AQUARA**



**PRISMLIGHT
GRAFITO**



**PRISMLIGHT
GREEN**



**PRISMLIGHT
VIOLET**



**SEONIX
FOREST**



**SEONIX
OCEAN**



**SHIMMER
BLACK**



**SHIMMER
BLUE**



**SHIMMER
GREEN**



**SPARK
BLUE**



**SPARK
NOIR**

Applications



Floor Tiles



Wall Tiles


100%

Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Beamstone Aqua

Finish :

SUPER HIGH GLOSSY

Size :

600X1200 mm

Random :

04




SCAN & TOUCH FOR



INDIA'S 1st
BACKLIT
MARBLE



CM/L - 7900104911



BACK TO INDEX

Applications



Floor Tiles



Wall Tiles

100%

Vitrified



100%
Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Preview of :
Beamstone Aqua



Applications



Floor Tiles



Wall Tiles

100%

Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Beamstone Black

Finish :

SUPER HIGH GLOSSY

Size :

600X1200 mm

Random :


04



SCAN & TOUCH FOR



INDIA'S 1st
BACKLIT
MARBLE



Applications



Floor Tiles



Wall Tiles

100%

Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Beamstone Green

Finish :

SUPER HIGH GLOSSY

Size :

600X1200 mm

Random :

04




SCAN & TOUCH FOR



INDIA'S 1st
BACKLIT
MARBLE



CM/L - 7900104911



BACK TO INDEX

Applications



Floor Tiles



Wall Tiles


100%

Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Beamstone Purple

Finish :

SUPER HIGH GLOSSY

Size :

600X1200 mm

Random :

04




SCAN & TOUCH FOR



INDIA'S 1st
BACKLIT
MARBLE



CM/L - 7900104911



Applications



Floor Tiles



Wall Tiles


100%

Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Cloudburst Forest

Finish :

SUPER HIGH GLOSSY

Size :

600X1200 mm

Random :

04




SCAN & TOUCH FOR



INDIA'S 1st
BACKLIT
MARBLE



CM/L - 7900104911



Applications



Floor Tiles



Wall Tiles

100%

Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Cloudburst Nero

Finish :

SUPER HIGH GLOSSY

Size :

600X1200 mm

Random :


04



SCAN & TOUCH FOR



INDIA'S 1st
BACKLIT
MARBLE



Applications



Floor Tiles



Wall Tiles

100%

Vitrified



100%
Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Preview of :
Cloudburst Nero



Applications



Floor Tiles



Wall Tiles

100%

Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Cloudburst Purple

Finish :

SUPER HIGH GLOSSY

Size :

600X1200 mm

Random :


04



SCAN & TOUCH FOR



INDIA'S 1st
BACKLIT
MARBLE



Applications



Floor Tiles



Wall Tiles

100%

Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Glowvein Aquilo

Finish :

SUPER HIGH GLOSSY

Size :

600X1200 mm

Random :

04




SCAN & TOUCH FOR



INDIA'S 1st
BACKLIT
MARBLE



CM/L - 7900104911



Applications



Floor Tiles



Wall Tiles


100%

Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Glowvein Moss

Finish :

SUPER HIGH GLOSSY

Size :

600X1200 mm

Random :

04



SCAN & TOUCH FOR



INDIA'S 1st
BACKLIT
MARBLE



CM/L - 7900104911



Applications



Floor Tiles



Wall Tiles


100%

Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Glowvein Night

Finish :

SUPER HIGH GLOSSY

Size :

600X1200 mm

Random :

04




SCAN & TOUCH FOR



INDIA'S 1st
BACKLIT
MARBLE



CM/L - 7900104911



Applications



Floor Tiles



Wall Tiles


100%

Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Glowvein Purple

Finish :

SUPER HIGH GLOSSY

Size :




600X1200 mm

Random :

04



INDIA'S 1st
BACKLIT
MARBLE



Applications



Floor Tiles



Wall Tiles

100%

Vitrified



100%
Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Preview of :
Glowvein Purple



Applications



Floor Tiles



Wall Tiles


100%

Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Prisligh Aquara

Finish :

SUPER HIGH GLOSSY

Size :

600X1200 mm

Random :

04




360°
SCAN & TOUCH FOR



INDIA'S 1st
BACKLIT
MARBLE



CM/L - 7900104911



Applications



Floor Tiles



Wall Tiles

100%

Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Prisligh Grafito

Finish :

SUPER HIGH GLOSSY

Size :

600X1200 mm

Random :



04



SCAN & TOUCH FOR



INDIA'S 1st
BACKLIT
MARBLE



Applications



Floor Tiles



Wall Tiles


100%

Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Prisligh Green

Finish :

SUPER HIGH GLOSSY

Size :

600X1200 mm

Random :

04






SCAN & TOUCH FOR



INDIA'S 1st
BACKLIT
MARBLE



CM/L - 7900104911



Applications



Floor Tiles



Wall Tiles

100%

Vitrified



100%
Water Proof

Lemzon[®]
MAGNIFICAT SURFACE

Preview of :
Prismlight Green



Applications



Floor Tiles



Wall Tiles


100%

Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Prisligh Violet

Finish :

SUPER HIGH GLOSSY

Size :

600X1200 mm

Random :

04






SCAN & TOUCH FOR



INDIA'S 1st
BACKLIT
MARBLE



CM/L - 7900104911



Applications



Floor Tiles



Wall Tiles


100%

Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Seonix Forest

Finish :

SUPER HIGH GLOSSY

Size :

600X1200 mm

Random :

04






SCAN & TOUCH FOR



INDIA'S 1st
BACKLIT
MARBLE



CM/L - 7900104911



Applications



Floor Tiles



Wall Tiles


100%

Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Seonix Ocean

Finish :

SUPER HIGH GLOSSY

Size :

600X1200 mm

Random :




04



SCAN & TOUCH FOR



INDIA'S 1st
BACKLIT
MARBLE



Applications



Floor Tiles



Wall Tiles


100%

Vitrified




100%
Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Preview of :
Seonix Ocean



Applications



Floor Tiles



Wall Tiles


100%

Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Shimmer Black

Finish :

SUPER HIGH GLOSSY

Size :

600X1200 mm

Random :


04



SCAN & TOUCH FOR



INDIA'S 1st
BACKLIT
MARBLE



Applications



Floor Tiles



Wall Tiles


100%

Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Shimmer Blue

Finish :

SUPER HIGH GLOSSY

Size :

600X1200 mm

Random :

04




SCAN & TOUCH FOR



INDIA'S 1st
BACKLIT
MARBLE



CM/L - 7900104911



Applications



Floor Tiles



Wall Tiles

100%

Vitrified



100%
Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Preview of :
Shimmer Blue



Applications



Floor Tiles



Wall Tiles


100%

Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Shimmer Green

Finish :

SUPER HIGH GLOSSY

Size :

600X1200 mm

Random :



04



SCAN & TOUCH FOR



INDIA'S 1st
BACKLIT
MARBLE



Applications



Floor Tiles



Wall Tiles


100%

Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Spark Blue

Finish :

SUPER HIGH GLOSSY

Size :

600X1200 mm

Random :



04



SCAN & TOUCH FOR



INDIA'S 1st
BACKLIT
MARBLE



Applications



Floor Tiles



Wall Tiles


100%

Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Spark Noir

Finish :

SUPER HIGH GLOSSY

Size :

600X1200 mm

Random :

04




SCAN & TOUCH FOR



INDIA'S 1st
BACKLIT
MARBLE



CM/L - 7900104911



BACK TO INDEX

Applications



Floor Tiles



Wall Tiles

100%

Vitrified



100% Water Proof

Lemzon[®]
MAGNIFICAT SURFACE



Preview of :
Spark Noir



Technical Specifications

CHARACTERISTICS	STANDARD AS PER ISO-13006/EN14411 GROUP BIA	OUR VALUE OF PGVT	OUR VALUE OF GVT	TEST METHOD
REGULATORY PROPERTIES				
Deviation In Length & Width	±0.5%	±0.1%	±0.1%	ISO-10545-2
Deviation In Thickness	+5.0%	+4.0%	±4.0%	ISO-10545-2
Straightness In Side	±0.5%	±0.1%	±0.1%	ISO-10545-2
Rectangularity	±0.6%	±0.1%	±0.1%	ISO-10545-2
Surface Flatness	±0.5%	±0.2%	±0.2%	ISO-10545-2
Color Difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg.	Min. 90%	Min, 4%	Glosso Meter
SURFACE MECHANICAL PROPERTIES				
Water absorption	< 0.50%	< 0.05%	< 0.05%	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus of rupture	Min. 35 N/mm ²	Min. 40 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	as per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	as per mfg.	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	as per mfg.	Min, 4	Min. 5	EN 101
THERMO HYDROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0x10	Max. 6.5x10	Max. 6.5x10	ISO-10545-8
Crazing resistance	as per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES				
Slip resistance	as per mfg.	> 0.40	> 0.40	ISO-10545-17
Fire resistance	as per mfg.	Fireproof	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	as per mfg.	Doesn't yield Pb & Cd	Doesn't yield Pb & Cd	ISO-10545-15

Packing Details

Sr. No.	Size	Pieces / Box	Area / Box (approx)
1	600x1200 mm	2 pcs	1.44 sq. mtr.